

QUOTE NO: 530

COUNTY OF HENRY, VIRGINIA
PURCHASING DEPARTMENT
P.O. BOX 7
COLLINSVILLE, VA. 24078

TELEPHONE (276) 634-4670
FAX (276) 634-4535
http://henrycounty.neocomm.net/

REQUEST FOR QUOTATION
THIS IS AN INQUIRY, NOT AN ORDER.
PLEASE REPLY PROMPTLY.

Please quote us prices on items listed below. Note delivery requirements, state firm prices and delivery date. All orders must be F.O.B. COLLINSVILLE, VIRGINIA.

NIGP
MEMBER

INCLUDE ALL SHIPPING AND INSTALLATION CHARGES IN PRICE.

*****NOTE- HENRY COUNTY RESERVES THE RIGHT TO REJECT ANY AND ALL QUOTES RECEIVED*****

TODAYS DATE		EASTERN STANDARD TIME AND DATE DUE	DELIVERY REQUIRED BY	
JUNE 19, 2014		DUE DATE: JUNE 27, 2014 12:00 PM		
ITEM	QUANTITY		UNIT PRICE	SUBTOTAL
		<p>PLEASE SEE ATTACHED QUOTE FORMS AND SPECIFICATIONS.</p> <p>***NOTE***</p> <p>VENDOR SHALL RETURN THIS COVER SHEET IN ADDITION TO THE ATTACHED SHEETS.</p> <p><u>FAX OR MAIL YOUR QUOTES TO:</u> HENRY COUNTY PURCHASING DEPT. PO BOX 7 COLLINSVILLE, VA 24078 ATTN: GAIL MINTER FAX: 276-634-4535</p> <p>ALL ITEMS ARE OR APPROVED EQUAL</p>		

SEND QUOTES VIA MAIL/FAX TO THE ATTENTION OF: GAIL MINTER (276) 634-4535.

IF UNABLE TO QUOTE, PLEASE SIGN AND RETURN THIS FORM, ADVISING REASON FOR NOT SUBMITTING A QUOTE.

OTHERWISE, YOUR NAME SHALL BE REMOVED FROM OUR VENDORS LIST AFTER THREE (3) NON-RESPONSES.

ALL ITEMS ARE OR APPROVED EQUAL

VENDOR: PLEASE COMPLETE THIS INFORMATION.

1.) DELIVERY PROMISED _____

2.) TERMS _____

3.) DATE OF QUOTE _____

4.) TELEPHONE # _____

5.) FAX # _____

VENDOR SIGNATURE

PLEASE PRINT NAME AND TITLE

INVITATION FOR QUOTES

Parking Lot Sealing and Restriping Koehler Wastewater Facility (Fieldale), Lower Smith River Wastewater Facility (Axton) and the Philpott Water Filtration Plant (Bassett)

Henry County PSA requests quotes for Parking Lot Sealing and Restriping at the **Upper Smith River (Koehler) Wastewater Facility, Lower Smith River Wastewater Facility and the Upper Smith River (Philpott) Water Filtration Plant:**

- 1) Codes and Standards: Comply with the Virginia Department of Transportation standard specifications, latest edition. Comply with all manufacturers' recommendations.
- 2) Clean all existing pavement to receive sealant thoroughly with mechanized wire brushes or other equipment approved by the owner.
- 3) Clean and dry all surface cracks. Apply commercial grade hot pour crack filler in accordance with the manufacturer's instructions, and shall be compatible with applied sealer.
- 4) Apply coal tar emulsion sealant in a uniform thickness as per manufacturer's instructions and allow to cure. Gemseal sand mix pavement sealer or equivalent sealer to be used.
 - Apply at a rate of 0.12 – 0.20 gal/sq yd/coat.
 - Apply 2 coats to all parking areas, 3 coats to all travel lanes. All materials and application shall comply with ASTM D 5727.
- 5) Restripe parking lot to match current markings, using standard traffic-marking paint. Color of paint at handicapped spaces to be blue; all other paint to be white.

Quote #530

Attached is a drawing of the parking lots to be treated. It's the responsibility of each bidder to field verify all dimensions and establish appropriate quantities of material. The project is to be quoted in segments, as indicated on the drawings. The Henry County PSA reserves the right to award in whole or in part, depending on the most fiscally advantageous option to the Henry County PSA.

All the plants are in continual operation. The contractor will coordinate with Henry County PSA staff to work on sections of the parking lot while leaving other areas usable.

The contractor must have a liability insurance policy issued by a company authorized to conduct business in Virginia in the sum of at least \$1,000,000 and be licensed to do business in Henry County.

Questions concerning the specifications or project should be addressed to the following:

Koehler Wastewater Facility – Bill Stevenson – 276-340-6927

Lower Smith River Wastewater – Kelly Custer – 276-732-4310

Philpott Water Plant – Archie Shelton – 276-340-0049

Quote Form

Name of Firm _____

Address _____

Authorized Signature _____

Telephone Number of Contact Person _____

Price for Koehler Wastewater Plant

Price for Crack Fill \$ _____

Price for Seal \$ _____

Price for Re-Stripe \$ _____

Price for Patch \$ _____

Total Price \$ _____

Days required to complete _____

Price for Lower Smith River Wastewater Plant

Price for Crack Fill \$ _____

Price for Seal \$ _____

Price for Re-Stripe \$ _____

Price for Patch \$ _____

Total Price \$ _____

Days required to complete _____

Quote #530

Price for Philpott Water Plant

Price for Crack Fill \$ _____

Price for Seal \$ _____

Price for Re-Stripe \$ _____

Price for Patch \$ _____

Total Price \$ _____

Days required to complete _____

Brand of crack filler to be used _____

Brand of sealant to be used _____