

County of Henry

P.O. BOX 7
COLLINSVILLE, VIRGINIA 24078-0007
<http://www.co.henry.va.us/>

TELEPHONE (276) 634-4670
FAX (276) 634-4535



MEMBER OF
VAGP
NIGP

PURCHASING DEPARTMENT

May 15, 2015

NOTICE TO BIDDERS

Invitation for Bid #15-05193-2957 for **Paving at Mt. Olivet Elementary School**
Opening Date May 19, 2015 at 3:00 p.m. Local Prevailing Time.

ADDENDUM #1

Please see the attached changes.

This Addendum Must Be Signed and Returned With Your Bid.

NAME OF BIDDER _____

SIGNATURE _____

DATE _____

CAROLE JONES
CHIEF PURCHASING AGENT

IFB Number: 15-05193-2957

Due Date: May 19, 2015 (3:00 PM Local Prevailing Time)

Paving at Mt. Olivet Elementary School

Addendum No. 1

1. Replace the following paragraph under section 2.01 General:

Contractor shall furnish all necessary equipment, labor and materials to take up existing asphalt beginning at fence entrance area and around main loop in front of school. Finish grade, and apply 2.5 inches BM-25 binder base asphalt and apply 1.5 inches of SM-9.5A topping asphalt. Along the front entrance of the school parallel with the sidewalk, the contractor should maintain 6" aggregate and then apply above mentioned asphalt specs. (Contractor must meet asphalt to necessary handicap ramp specifications) Contractor is to also clean existing parking lot and car rider loop to the west side of the school, hot crack fill as needed and apply sand sealer to this area. Surface treat all alligator cracks before applying sealer.

2. Add the below statement to the first paragraph under section 2.02 Execution:

Contractor must excavate front entrance of bus loop parallel to sidewalk enough to meet required aggregate and asphalt requirements.

3. Change Line item # 6 and item # 7 on bid sheet to the below pricing requirements:

- Price for Under-Cut if needed should be priced per cubic yard.
- Price for Additional base stone should be priced per ton.

Signature of Authorized Representative of Firm _____

Please return the signed acknowledgement of this addendum with your bid.